



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/829,007	04/21/2004	Taylor J. Leaming	02-AU-090 (52040)	5514

7590 09/16/2008
Mario Donato, Jr.
STMicroelectronics, Inc.
1310 Electronics Dr.
Carrollton, TX 75006

EXAMINER

UNELUS, ERNEST

ART UNIT	PAPER NUMBER
----------	--------------

2181

MAIL DATE	DELIVERY MODE
-----------	---------------

09/16/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Application Number: 10/829, 007
Filing Date: April 21, 2004
Appellant(s): Leaming

John F. Woodson, II
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 08/05/08 appealing from the Office action
mailed 03/06/08

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) Status of Claims

The statement of the status of claims contained in the brief is correct.

(4) Status of Final Rejection

The appellant's statement of the status of the final rejection contained in the brief is correct.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statements of the grounds of rejection to be reviewed on appeal is correct.

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

2005/0251596	Maier	11-2005
2005/0108571	Lu	05-2005

(9) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

REJECTIONS BASED ON PRIOR ART

Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claims 1, 4-10, 13-19, 22-28, and 31-35** are rejected under 35 U.S.C. 103(a) as being unpatentable over Maier (US 2005/0251596) in view of Lu et al. (2005/0108571).

6. As per **claims 1, 10, and 28**, Maier discloses “An integrated circuit for a smart card (**USB device of fig. 1**) and comprising:

a transceiver (**input and output device**) (see fig. 1 and paragraph 0006, which discloses an interface of the device); and

a processing system for communicating with a host device (**USB host of fig. 1**) over a system bus (**the USB bus , as discloses in fig. 1**) via the input and output device, said processing system for providing at least one default descriptor [**descriptors (I)**] to the host device (**see paragraph 0043**),

cooperating with the host device to perform an enumeration based upon the at least one default descriptor (**paragraph 0043 discloses “in a first enumerating step ENUM1, the USB host will enumerate the USB device. In other words, as illustrated in FIG. 2, the USB host will retrieve from the USB device to the USB host only the descriptors (I) associated to the standard service SO and to the mass storage service S1”), and**

providing at least one alternate descriptor [**descriptors (II)**] to the host device and cooperating with the host device to perform a new enumeration based thereon (**ENUM2, as discloses in paragraph 0055) [(see paragraph 0055)], based upon allocations of system bus bandwidth to the devices communicating with the host device over the system bus (see paragraph 0034, which discloses ‘allocating’ memory base on the bandwidth of devices).**

Maier discloses the functionality of the smart card and fail to specifically discloses the structure of the card and more than one other devices.

However, LU discloses smart card to be an integrated circuit having a transceiver, a processor and descriptors. For example, as evidence in para. 0004, Lu discloses, “An example of such a resource-constrained device is the smart card. A smart card is simply a plastic card containing an integrated circuit with some memory and a microprocessor. Typically the memory is restricted to 6K bytes of RAM. It is anticipated that smart card RAM may increase by a few kilobytes over the next few years. However, it is very likely that memory size will continue to be an obstacle to smart card applications. Most smart cards have 8-

Art Unit: 2181

bit microprocessors". See also paragraph 0006, which discloses an interface of the card and fig. 2 of Lu, which discloses multiple devices (cards 201cs) communicating with a host device.

Maier (US 2005/0251596) and Lu et al. (US 2005/0108571) are analogous art because they are from the same field of endeavor of communication between a smart card and a computer.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the system comprising a main device and an auxiliary device arranged to co-operate with each other as taught by Maier and an infrastructure-less resource-constrained device, for example, a smart card, capable of acting as a full-fledged network node providing secure communication to other nodes on the network and in which the security boundary is located on the infrastructure-less resource-constrained device as taught by Lu.

The motivation for doing so would have been because Lu teaches, (**"an infrastructure-less resource-constrained device, for example, a smart card, capable of acting as a full-fledged network node providing secure communication to other nodes on the network and in which the security boundary is located on the infrastructure-less resource-constrained device. Such infrastructure-less resource-constrained devices can easily be adapted so that the resource-constrained device can provide many of the functions traditionally associated with full-fledged network nodes"** (see paragraph 0022).

Art Unit: 2181

Therefore, it would have been obvious to combine Maier (US 2005/0251596) and Lu et al. (2005/0108571) for the benefit of creating a smart card to communicate with a host to obtain the invention as specified in claims 1, 10, and 28.

7. As per **claims 4, 13, 22, and 31**, the combination of Maier and Lu discloses “The integrated circuit of claim 1,” **[See rejection to claim 1 above]** Maier further discloses “wherein the at least one alternate descriptor comprises at least one device descriptor” **(see paragraph 0008)**.

8. As per **claims 5, 14, 23, and 32**, the combination of Maier and Lu discloses “The integrated circuit of claim 1,” **[See rejection to claim 1 above]** Maier further discloses “wherein the at least one alternate descriptor comprises at least one configuration descriptor” **(see paragraph 0009)**.

9. As per **claims 6, 15, 24, and 33**, the combination of Maier and Lu discloses “The integrated circuit of claim 1,” **[See rejection to claim 1 above]** Maier further discloses “wherein the at least one alternate descriptor comprises at least one interface descriptor” **(see paragraph 0010)**.

10. As per **claims 7, 16, 25, and 34**, the combination of Maier and Lu discloses “The integrated circuit of claim 1,” **[See rejection to claim 1 above]** Maier further discloses

Art Unit: 2181

“wherein the at least one alternate descriptor comprises at least one endpoint descriptor” **(see paragraph 0011).**

11. As per **claims 8, 17, and 26**, the combination of Maier and Lu discloses “The integrated circuit of claim 1,” **[See rejection to claim 1 above]** Maier further discloses “comprising at least one memory connected to said processor for storing the at least one default descriptor and the at least one alternate descriptor” **(see paragraph 0013).**

12. As per **claims 9, 18, 27, and 35**, the combination of Maier and Lu discloses “The integrated circuit of claim 1,” **[See rejection to claim 1 above]** LU further discloses “wherein said transceiver comprises a universal serial bus (USB) transceiver” **(see paragraph 0005)**, and wherein said processor operates in a USB mode **(see paragraph 0005).**

13. As per **claim 19**, Maier discloses “A smart card system **(see fig. 1)** comprising: a host device **(USB host device in fig. 1)** and associated system bus **(USB bus , as discloses in fig. 1);**

a smart card **(USB device of fig. 1)** to be read by said smart card adapter and comprising a smart card body and an integrated circuit carried by said smart card body, said integrated circuit comprising

a transceiver **(see fig. 1 and paragraph 0006, which discloses an interface of the device)**, and

a processor for communicating with said host device over said system bus via said transceiver, said processor for providing at least one default descriptor **[descriptors (I)]** to said host device **(see paragraph 0043)**,

cooperating with said host device to perform an enumeration based upon the at least one default descriptor **(paragraph 0043 discloses “in a first enumerating step ENUM1, the USB host will enumerate the USB device. In other words, as illustrated in FIG. 2, the USB host will retrieve from the USB device to the USB host only the descriptors (I) associated to the standard service SO and to the mass storage service S1”), and**

providing at least one alternate descriptor **[descriptors (II)]** to the host device and cooperating with the host device to perform a new enumeration based thereon **(ENUM2, as discloses in paragraph 0055) [(see paragraph 0055)]**, based upon allocations of system bus bandwidth to other devices communicating with said host device over the system bus **(see paragraph 0034, which discloses ‘allocating’ memory base on the bandwidth of devices)**.

Maier discloses the functionality of the smart card and fail to specifically disclose the structure of the card, more than one other device, and a smart card adapter connected to the host.

However, LU discloses a smart card to be an integrated circuit having a transceiver, a processor and descriptors. For example, as evidence in para. 0004,

Art Unit: 2181

Lu discloses, “An example of such a resource-constrained device is the smart card. A smart card is simply a plastic card containing an integrated circuit with some memory and a microprocessor. Typically the memory is restricted to 6K bytes of RAM. It is anticipated that smart card RAM may increase by a few kilobytes over the next few years. However, it is very likely that memory size will continue to be an obstacle to smart card applications. Most smart cards have 8-bit microprocessors”. See also paragraph 0006, which discloses an interface of the card. See also paragraph 0086, which discloses “[“The smart card reader 215(6b) provides an implementation of the Peer I/O Server 613(6b), described in greater detail herein below. The smart card reader 215(6b) connects to the smart card 201(6b) through an ISO standard half-duplex I/O interface and to a host computer 217(6b) via a standard full-duplex I/O interface 607. Because the smart card reader 215(6b) completely handles the ISO 7816 protocol, and connects to the host computer 217(6b) using standard serial protocol, no additional software, beyond that which is normally found on a PC, is needed on the host PC 217(6b)”. See on the host PC 217(6b)”. See also fig. 2 of Lu, which discloses multiple devices (cards 201cs) communicating with a host device.

Maier (US 2005/0251596) and Lu et al. (US 2005/0108571) are analogous art because they are from the same field of endeavor of communication between a smart card and a computer.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to modify the system comprising a main device and an auxiliary device

Art Unit: 2181

arranged to co-operate with each other as taught by Maier and an infrastructure-less resource-constrained device, for example, a smart card, capable of acting as a full-fledged network node providing secure communication to other nodes on the network and in which the security boundary is located on the infrastructure-less resource-constrained device as taught by Lu.

The motivation for doing so would have been because Lu teaches, (“**an infrastructure-less resource-constrained device, for example, a smart card, capable of acting as a full-fledged network node providing secure communication to other nodes on the network and in which the security boundary is located on the infrastructure-less resource-constrained device. Such infrastructure-less resource-constrained devices can easily be adapted so that the resource-constrained device can provide many of the functions traditionally associated with full-fledged network nodes**” (see paragraph 0022).

Therefore, it would have been obvious to combine Maier (US 2005/0251596) and Lu et al. (2005/0108571) for the benefit of creating a smart card to communicate with a host to obtain the invention as specified in claim 19.

(20) Response to Argument

The applicant argues that, Maier and Lu, the cited references, combined, does not teach “**based upon allocations of system bus bandwidth to the device communicating with the host device over the system bus**”.

Art Unit: 2181

This argument is not persuasive because paragraph 0034 of Maier discloses, “Two of these four modes require a bandwidth reservation, which is accorded or not by the USB host after an enumeration phase, depending on the bandwidth already reserved by other USB devices, which are plugged onto the USB bus”. According to this paragraph, the card is storing data base on the bandwidth already reserved by other USB devices. The applicant’s claim language is not specific with respect to ‘allocating’. With respect to detach and reattach, as argued in pages 12 and 13 of the brief, paragraph 0034 of Maier discloses of devices that were previously attach to the host.

(21) Related Proceeding(s) Appendix

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner’s answer.

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

Examiner of Record

/Ernest Unelus/ EU

Conferees:

/Alford W. Kindred/ AWK
Supervisory Patent Examiner, Art Unit 2181

Application/Control Number: 10/829,007
Art Unit: 2181

Page 12

/Vincent F. Boccio/ VFB
Primary Examiner, Art Unit 2169